

Eligible Toilet List (Condensed List¹)

Premium 1.1 gpf (or less) Rebates

(Maximum flush rate of 1.1 gallons per flush (gpf))



Saving Water Partnership
Seattle and Participating Local Water Utilities

Updated 8-29-17

| Row # | Brand Name | Model Name | Model Number | Gravity Fed (G) Pressure Assist (P) | Dual Flush | 1 or 2 piece | Round Bowl (R) Elongated (E) | ADA Height Bowl |
|-------|-----------------------|--|---|--|------------|--------------|---------------------------------|-----------------|
| 1 | American Standard | Cadet Pressure-Assist EL (12" rough-in) | 2462.100: 3481.100 OR 3481.001 bowl, 4142.100 tank | P | | 2 | E | |
| 2 | American Standard | Cadet FloWise Pressure-Assist EL ADA | 2467.100: 3483.100 OR 3483.001 bowl, 4142.100 tank | P | | 2 | E | ADA |
| 3 | American Standard | Yorkville FloWise Pressure-Assist EL (back outlet) | 2878.100: 3703.100 OR 3703.001 bowl, 4142.100 tank | P | | 2 | E | ADA |
| 4 | American Standard | Yorkville FloWise Pressure Assist EL ADA (rear discharge) | 2876.200: 3701.100 OR 3701.001 bowl, 4142.100 tank | P | | 2 | E | |
| 5 | American Standard | Cadet Ultra Low Dual Flush EL ADA | 7400AA.: 3218A.0011b bowl, 4133A.200R tank | G | Yes | 2 | E | ADA |
| 6 | American Standard | H2Optimum UHET DF EL ADA | 2886.218: 3705.216 bowl, 4133A.218 Tank | G | Yes | 2 | E | ADA |
| 7 | American Standard | H2Optimum UHET DF EL ADA | 2887.218: 3706.216 bowl, 4133A.218 tank | G | Yes | 2 | E | |
| 8 | American Standard | H2Optimum UHET DF RF | 2889.218: 3708.216 bowl, 4133A.218 tank | G | Yes | 2 | R | |
| 9 | American Standard | H2Option UHET DF EL | 2886.518: 3705.216 bowl, 4133A.518 tank | G | Yes | 2 | | ADA |
| 10 | American Standard | H2Option UHET DF EL | 2887.518: 3706.216 bowl, 4133A.518 tank | G | Yes | 2 | E | |
| 11 | American Standard | H2Option UHET DF RF | 2889.518: 3708.216 bowl, 4133A.518 tank | G | Yes | 2 | R | |
| 12 | American Standard | H2Optimum UHET SF RF | 288DA.114: 3708.216 bowl, 4133A.114 tank | G | | 2 | R | |
| 13 | American Standard | H2Optimum UHET SF EL | 288CA.114: 3706.216 bowl, 4133A.114 tank | G | | 2 | E | |
| 14 | American Standard | H2Optimum UHET SF EL ADA | 288AA.114: 3705.216 bowl, 4133A.114 tank | G | | 2 | E | ADA |
| 15 | American Standard | H2Optimum UHET SF EL ADA | 288AA.115: 3705.216 bowl, 4133A.115 tank | G | | 2 | E | ADA |
| 16 | American Standard | Cosette EL Dual Flush (one-piece) 12" rough-in | 750CA.200 (one piece) | G | Yes | 1 | E | |
| 17 | American Standard | Vormax UHET EL | 238AA.114: 3385A.101 bowl, 4385A.114 tank | G | | 2 | E | |
| 18 | American Standard | Vormax UHET EL | 238AA.115: 3385A.101 bowl, 4385A.115 tank | G | | 2 | | |
| 19 | Caroma | Caravelle Smart One-Piece EL ADA (10 & 12" rough-in) | 989900 (one piece) | G | Yes | 2 | E | ADA |
| 20 | Caroma | Profile Smart 305 RF | 609151A bowl, 840420 tank 609151A bowl, 840420 tank (Note: tank lid contains a lavatory sink that drains to the tank) | G | Yes | 2 | R | |
| 21 | Caroma | Somerton 270 EL (NOTE: 1.2g/4.8L full flush - 0.73g/2.8L reduced flush) | 829108 bowl, 810788 tank | G | Yes | 2 | E | |
| 22 | Caroma | Somerton Smart EL ADA | 829109 bowl, 829110 tank (also 829110-R tank) | 2 | Yes | 2 | E | ADA |
| 23 | Caroma | Sydney II 305 EL ADA (12-inch rough-in) | 305102 bowl, 302100 tank | G | Yes | 2 | E | ADA |
| 24 | Caroma | Sydney II 305 RF ADA (12-inch rough-in) | 305101 bowl, 302100 tank | G | Yes | 2 | R | ADA |
| 25 | Caroma | Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush) | 609120 bowl, 622322 tank | G | Yes | 2 | E | ADA |
| 26 | Caroma | Sydney Smart 305 EL (NOTE: 1.28g/4.8L full flush - 0.8g/3.0L reduced flush) | 609130 bowl, 622322 tank | G | Yes | 2 | E | |
| 27 | Caroma | Sydney Smart RF Rear Outlet | 609450 bowl, 622322 tank | G | Yes | 2 | R | |
| 28 | ECO-FITT (by Niagara) | Power One EL | N2310: 2310B bowl, 2310T tank | P | | 2 | E | |
| 29 | Gerber | Ultra Flush RF | EF-21-302: 21-342 bowl, EF-28-380 tank | P | | 2 | R | |
| 30 | Gerber | Ultra Flush 1.1 EL (12-inch rough-in) | EF-21-312: 21-372 bowl, EF-28-380 tank | P | | 2 | E | |
| 31 | Gerber | Ultra Flush 1.1 EL ADA (12-inch rough-in) | EF-21-318: 21-377 bowl, EF-28-380 tank | P | | 2 | E | ADA |
| 32 | Gerber | Ultra Flush 1.1 EL ADA (rear discharge) | EF-21-325: 21-375 bowl, EF-28-380 tank | P | | 2 | E | ADA |
| 33 | Gerber | Viper EL ADA (12" rough-in) | WS-20-521; WS-21-521 bowl, WS-28-591 tank | G | | 2 | E | ADA |
| 34 | Gerber | Viper EL ADA (12" rough-in) | DF-20-521; WS-21-521 bowl, DF-28-591 tank | G | Yes | 2 | E | ADA |
| 35 | Home Depot | Glacier Bay EL ADA | SKU 251-582; N2410EB bowl, N2410T tank | G | | 2 | E | ADA |
| 36 | Kohler | Highline Pressure Lite EL ADA | K-3519: 4304 bowl, 4484 tank | P | | 2 | E | ADA |

| Row # | Brand Name | Model Name | Model Number | Gravity Fed (G) Pressure Assist (P) | Dual Flush | 1 or 2 piece | Round Bowl (R) Elongated (E) | ADA Height Bowl |
|-------|---------------------------|--|---|--|------------|--------------|---------------------------------|-----------------|
| 37 | Kohler | San Raphael Pressure Lite EL ADA (one-piece) | K-3597 (one-piece) | P | | 1 | E | ADA |
| 38 | Kohler | Wellworth Pressure Lite EL | K-3531: 4303 bowl, 4484 tank | P | | 2 | E | |
| 39 | Kohler | Highline Flair EL | K-5298; 5297 bowl, 5308 tank | G | | 2 | E | |
| 40 | Kohler | Highline Classic EL | K-5299: 5297 bowl, 5307 tank | G | | 2 | E | |
| 41 | Niagara Conservation | Power One EL | N2310: 2310B bowl, 2310T tank | P | | 2 | E | |
| 42 | Niagara Conservation | PowerOne RF | N2310R: N2310R bowl, N2310T tank | P | | 2 | R | |
| 43 | Niagara Conservation | Stealth EL | N7711 (one piece) NOTE: 0.8G/3.0I Flush | G | | 1 | E | |
| 44 | Niagara Conservation | Stealth RF ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) 10" rough-in | N772614R: N7726RB bowl, N7714 tank | G | | 2 | R | |
| 45 | Niagara Conservation | Stealth RF ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) 10" rough-in | N772615R: N7726RB bowl, N7715ST tank | G | | 2 | R | |
| 46 | Niagara Conservation | Stealth EL ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) 10" rough-in | N772714E: N7727EB bowl, N7714 Tank | G | | 2 | E | ADA |
| 47 | Niagara Conservation | Stealth EL ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) 10" rough-in | N772715E: N7727EB bowl, N7715T tank - | G | | 2 | E | ADA |
| 48 | Niagara Conservation | Stealth EL ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) | N7717/N7714: N7717 bowl, N7714 tank - NOTES: 3L/0.8-gal flush - toilet also sold as All-In-One package Model 77000 | G | | 2 | E | ADA |
| 49 | Niagara Conservation | Stealth EL ADA (NOTE: flushes with 0.8-gal of water) | N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush | G | | 2 | E | ADA |
| 50 | Niagara Conservation | Stealth EL ADA Dual Flush | N771714E-DF: N7717EB-DF bowl, N7714T-DF tank | | Yes | 2 | E | ADA |
| 51 | Niagara Conservation | Stealth RF ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) | N7716 bowl, N7714 tank - NOTES: 3L/0.8-gal flush - toilet also sold as All-In-One package Model 77001R and 77002 | G | | 2 | E | ADA |
| 52 | Niagara Conservation | Stealth RF ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) | N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush | G | | 2 | R | ADA |
| 53 | Niagara Conservation | Stealth EL ADA (NOTE: Back outlet bowl) | N7799 - NCC: N7799 bowl, N7714T tank | G | | 2 | E | ADA |
| 54 | PROFLO (Ferguson brand) | None RF (12-inch rough-in) (NOTE: 1.0g/3.8L single-flush fixture) | PF1600PA bowl, PF1612PA tank (left-hand leGer) | P | | 2 | R | |
| 55 | PROFLO (Ferguson brand) | None EL (12-inch rough-in) (NOTE: 1.0g/3.8L single-flush fixture) | PF1601PA bowl, PF1612PA tank (left-hand leGer) | P | | 2 | E | |
| 56 | PROFLO (Ferguson brand) | None EL ADA (12-inch rough-in) (NOTE: 1.0g/3.8L single-flush fixture) | PF1603PA bowl, PF1612PA tank (left-hand leGer) | P | | 2 | E | ADA |
| 57 | PROFLO (Ferguson brand) | None RF (12-inch rough-in - rear outlet) (NOTE: 1.0g/3.8L single-flush fixture) | PF1604PA bowl (rear outlet), PF1612PA tank (left-hand lever) | P | | 2 | R | |
| 58 | PROFLO (Ferguson brand) | None EL (12-inch rough-in - rear outlet) (NOTE: 1.0g/3.8L single-flush fixture) | PF1605PA bowl (rear outlet), PF1612PA tank (left-hand lever) | P | | 2 | E | |
| 59 | PROFLO (Ferguson brand) | None EL ADA (12-inch rough-in - rear outlet) (NOTE: 1.0g/3.8L single-flush fixture) | PF1606PA bowl (rear outlet), PF1612PA tank (left-hand lever) | P | | 2 | E | ADA |
| 60 | PROFLO (Ferguson brand) | None RF ADA | 9800 bowl; 9810/9812 tank (10 & 12" rough-in) .8 gpf | G | | 2 | R | |
| 61 | PROFLO (Ferguson brand) | None EL ADA | 9803 bowl; 9810/tank (10 & 12" rough-in) .8 gpf | G | | 2 | E | |
| 62 | SSI Sustainable Solutions | None RF ADA | 301381 bowl, 301380 tank | G | | 2 | R | ADA |
| 63 | SSI Sustainable Solutions | One No Clog .8 EL ADA | 301302W bowl, 301300W tank (NOTE: 3L/.8 gpf) | G | | 2 | E | ADA |
| 64 | Toto | Drake II 1G RF ADA (12" rough-in) | CST453CUF(G); C453CUF(G) bowl; ST453U tank | G | | 2 | R | ADA |
| 65 | Toto | Drake II 1G EL (12" rough-in) | CST454CUFG; C454CUFG bowl; ST453U tank | G | | 2 | E | |
| 66 | Toto | Ultramax II EL ADA (1-piece - 12-inch rough-in) (Flushes at 1.0 gallons of water) | CST604CUF(G) | G | | 1 | E | ADA |

| Row # | Brand Name | Model Name | Model Number | Gravity Fed (G) Pressure Assist (P) | Dual Flush | 1 or 2 piece | Round Bowl (R) Elongated (E) | ADA Height Bowl |
|-------|------------|---|---|--|------------|--------------|---------------------------------|-----------------|
| 67 | Toto | Ultramax II EL ADA (1-piece - 12-inch rough-in) | MS604114CUF(G) | G | | 1 | E | ADA |
| 68 | Toto | Vespin II 1G EL ADA | CST474CUF: CT474CUFG bowl; ST453U tank | G | | 2 | E | ADA |
| 69 | Toto | Promenade II EL ADA (1-piece) | MS814224CUF(G): CST814CUF(G) bowl, CT814CUF(G) tank | G | | 1 | E | ADA |
| 70 | Toto | Promenade II EL ADA | CST404CUF(G): C404CUF(G) bowl, ST403U tank | G | | 2 | E | ADA |
| 71 | Toto | Carlyle II 1G EL ADA | CST614CUFG OR MS614114CUFG | G | | 1 | E | ADA |
| 72 | Toto | Connelly EL ADA (12" rough-in) | CST494CEMF(G): CT494CEF(G) bowl; ST494M tank | G | Yes | 2 | E | ADA |
| 73 | Toto | Dual Max - EL ADA (wall-mount) | CWT437MF(G)-4: CT437F(G) bow, WT154M in-wall tank | G | Yes | 1 | E | ADA |
| 74 | Toto | Dual Max - EL ADA (wall-mount) | CWT437MF(G)-3: CT437F(G) bow, WT153M in-wall tank | G | Yes | 1 | E | ADA |
| 75 | Toto | G400 EL (12" rough-in) | MS920CEMF(G): CT920CEMF(G) bowl, SN920M top | G | Yes | 1 | E | |
| 76 | Toto | Neorest 500H EL (12" rough-in) | MS952CUM(G): CT952CUM(G) bowl, SN952M top | G | Yes | 1 | E | |
| 77 | Toto | Neorest 750H (12" rough-in) | MS993CUMFX; CT993CUMFX bowl, SN993MX tank | G | Yes | 2 | E | |
| 78 | Toto | Neorest 700H (12" rough-in) | MS992CUMF; CT992CUMFG bowl, SN992M tank | G | Yes | 2 | E | |
| 79 | Toto | Neorest 550H EL (12" rough-in) | MS982CUMG: CT982CUMG bowl; SN982M tank | G | Yes | 2 | E | |

ADA: Meets bowl-height requirements of Americans with Disabilities Act; gpf: Gallons per Flush

1. The Saving Water Partnership created this list from the "MaP Premium" list available at <http://www.map-testing.com/map-search.html>. All models on the full MaP Premium list qualify for a rebate. This list is a condensed version that only includes models known to be available locally. This list is not an endorsement of any one manufacturer.

Note to Manufacturers: If you believe your Premium WaterSense toilets are available locally in the Saving Water Partnership service area but are not on this list, please call (206) 615-1282 to be added.

The following information is from the [MaP Premium website \(www.map-testing.com\)](http://www.map-testing.com) "Compiling this listing is a service of Gauley Associates, Ltd. and Koeller and Company. All of the fixtures on this list are reported as certified by an accredited certification body (CB) to meet the requirements of the U.S. EPA WaterSense® specification for High Efficiency Toilets. Information for this listing has been obtained from the WaterSense® website, CB websites, and from test reports provided by recognized laboratories participating in the WaterSense® program and believed to be entirely reliable. This listing is NOT the official list of the U.S. EPA's WaterSense® Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense>. The information presented in this table has been gathered from sources deemed to be reliable (including the WaterSense® Program). However, neither the authors nor the organizations posting this listing on their websites make any guarantee as to its correctness, accuracy, completeness, or current status. Readers are encouraged to perform their own research at the WaterSense® website (noted above), manufacturer websites, and other sources."