

Eligible Toilet List (Condensed List¹)

Premium 1.1 gpf (or less) Rebates

(Maximum flush rate of 1.1 gallons per flush (gpf))



Saving Water Partnership
Seattle and Participating Local Water Utilities

Updated 6-22-17

Row #	Brand Name	Model Name	Model Number	Gravity Fed (G) Pressure Assist (P)	Dual Flush	1 or 2 piece	Round Bowl (R) Elongated (E)	ADA Height Bowl
1	American Standard	Cadet Pressure-Assist EL (12" rough-in)	2462.100: 3481.100 OR 3481.001 bowl, 4142.100 tank	P		2	E	
2	American Standard	Cadet FloWise Pressure-Assist EL ADA	2467.100: 3483.100 OR 3483.001 bowl, 4142.100 tank	P		2	E	ADA
3	American Standard	Yorkville FloWise Pressure-Assist EL (back outlet)	2878.100: 3703.100 OR 3703.001 bowl, 4142.100 tank	P		2	E	ADA
4	American Standard	Yorkville FloWise Pressure Assist EL ADA (rear discharge)	2876.200: 3701.100 OR 3701.001 bowl, 4142.100 tank	P		2	E	
5	American Standard	Cadet Ultra Low Dual Flush EL ADA	7400AA.: 3218A.0011b bowl, 4133A.200R tank	G	Yes	2	E	ADA
6	American Standard	H2Optimum UHET DF EL ADA	2886.218: 3705.216 bowl, 4133A.218 Tank	G	Yes	2	E	ADA
7	American Standard	H2Optimum UHET DF EL ADA	2887.218: 3706.216 bowl, 4133A.218 tank	G	Yes	2	E	
8	American Standard	H2Optimum UHET DF RF	2889.218: 3708.216 bowl, 4133A.218 tank	G	Yes	2	R	
9	American Standard	H2Option UHET DF EL	2886.518: 3705.216 bowl, 4133A.518 tank	G	Yes	2		ADA
10	American Standard	H2Option UHET DF EL	2887.518: 3706.216 bowl, 4133A.518 tank	G	Yes	2	E	
11	American Standard	H2Option UHET DF RF	2889.518: 3708.216 bowl, 4133A.518 tank	G	Yes	2	R	
12	American Standard	H2Optimum UHET SF RF	288DA.114: 3708.216 bowl, 4133A.114 tank	G		2	R	
13	American Standard	H2Optimum UHET SF EL	288CA.114: 3706.216 bowl, 4133A.114 tank	G		2	E	
14	American Standard	H2Optimum UHET SF EL ADA	288AA.114: 3705.216 bowl, 4133A.114 tank	G		2	E	ADA
15	American Standard	Cosette EL Dual Flush (one-piece) 12" rough-in	750CA.200 (one piece)	G	Yes	1	E	
16	Caroma	Caravelle Smart One-Piece EL ADA (10 & 12" rough-in)	989900 (one piece)	G	Yes	2	E	ADA
17	Caroma	Profile Smart 305 RF	609151A bowl, 840420 tank 609151A bowl, 840420 tank (Note: tank lid contains a lavatory sink that drains to the tank)	G	Yes	2	R	
18	Caroma	Somerton 270 EL (NOTE: 1.2g/4.8L full flush - 0.73g/2.8L reduced flush)	829108 bowl, 810788 tank	G	Yes	2	E	
19	Caroma	Sydney II 305 EL ADA (12-inch rough-in)	305102 bowl, 302100 tank	G	Yes	2	E	ADA
20	Caroma	Sydney II 305 RF ADA (12-inch rough-in)	305101 bowl, 302100 tank	G	Yes	2	R	ADA
21	Caroma	Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	G	Yes	2	E	ADA
22	Caroma	Sydney Smart 305 EL (NOTE: 1.28g/4.8L full flush - 0.8g/3.0L reduced flush)	609130 bowl, 622322 tank	G	Yes	2	E	
23	Caroma	Sydney Smart RF Rear Outlet	609450 bowl, 622322 tank	G	Yes	2	R	
24	ECO-FITT (by Niagara)	Power One EL	N2310: 2310B bowl, 2310T tank	P		2	E	
25	Eljer	Cosette EL dual flush (one-piece) 12"	081-0600 (one-piece)	G	Yes	1	E	
26	Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	P		2	R	
27	Gerber	Ultra Flush 1.1 EL (12-inch rough-in)	EF-21-312: 21-372 bowl, EF-28-380 tank	P		2	E	
28	Gerber	Ultra Flush 1.1 EL ADA (12-inch rough-in)	EF-21-318: 21-377 bowl, EF-28-380 tank	P		2	E	ADA
29	Gerber	Ultra Flush 1.1 EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	P		2	E	ADA
30	Gerber	Viper EL ADA (12" rough-in)	WS-20-521; WS-21-521 bowl, WS-28-591 tank	G		2	E	ADA
31	Gerber	Viper EL ADA (12" rough-in)	DF-20-521; WS-21-521 bowl, DF-28-591 tank	G	Yes	2	E	ADA
32	Home Depot	Glacier Bay EL ADA	SKU 251-582; N2410EB bowl, N2410T tank	G		2	E	ADA
33	Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	P		2	E	ADA
34	Kohler	San Raphael Pressure Lite EL ADA (one-piece)	K-3597 (one-piece)	P		1	E	ADA
35	Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	P		2	E	
36	Kohler	Highline Flair EL	K-5298; 5297 bowl, 5308 tank	G		2	E	
37	Kohler	Highline Classic EL	K-5299: 5297 bowl, 5307 tank	G		2	E	
38	Niagara Conservation	Power One EL	N2310: 2310B bowl, 2310T tank	P		2	E	

Row #	Brand Name	Model Name	Model Number	Gravity Fed (G) Pressure Assist (P)	Dual Flush	1 or 2 piece	Round Bowl (R) Elongated (E)	ADA Height Bowl
39	Niagara Conservation	PowerOne RF	N2310R: N2310R bowl, N2310T tank	P		2	R	
40	Niagara Conservation	Stealth EL	N7711 (one piece) NOTE: 0.8G/3.0I Flush	G		1	E	
41	Niagara Conservation	Stealth RF ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) 10" rough-in	N772614R: N7726RB bowl, N7714 tank	G		2	R	
42	Niagara Conservation	Stealth RF ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) 10" rough-in	N772615R: N7726RB bowl, N7715ST tank	G		2	R	
43	Niagara Conservation	Stealth EL ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) 10" rough-in	N772714E: N7727EB bowl, N7714 Tank	G		2	E	ADA
44	Niagara Conservation	Stealth EL ADA (NOTE: flushes with 0.8-gal / 3 Litres of water) 10" rough-in	N772715E: N7727EB bowl, N7715T tank -	G		2	E	ADA
45	Niagara Conservation	Stealth EL ADA (NOTE: flushes with 0.8-gal / 3 Litres of water)	N7717/N7714: N7717 bowl, N7714 tank - NOTES: 3L/0.8-gal flush - toilet also sold as All-In-One package Model 7700	G		2	E	ADA
46	Niagara Conservation	Stealth EL ADA (NOTE: flushes with 0.8-gal of water)	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	G		2	E	ADA
47	Niagara Conservation	Stealth EL ADA Dual Flush	N771714E-DF: N7717EB-DF bowl, N7714T-DF tank		Yes	2	E	ADA
48	Niagara Conservation	Stealth RF ADA (NOTE: flushes with 0.8-gal / 3 Litres of water)	N7716 bowl, N7714 tank - NOTES: 3L/0.8-gal flush - toilet also sold as All-In-One package Model 77001R and 77002	G		2	E	ADA
49	Niagara Conservation	Stealth RF ADA (NOTE: flushes with 0.8-gal / 3 Litres of water)	N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	G		2	R	ADA
50	Niagara Conservation	Stealth EL ADA (NOTE: Back outlet bowl)	N7799 - NCC: N7799 bowl, N7714T tank	G		2	E	ADA
51	PROFLO (Ferguson brand)	None RF (12-inch rough-in) (NOTE: 1.0g/3.8L single-flush fixture)	PF1600PA bowl, PF1612PA tank (left-hand leGer)	P		2	R	
52	PROFLO (Ferguson brand)	None EL (12-inch rough-in) (NOTE: 1.0g/3.8L single-flush fixture)	PF1601PA bowl, PF1612PA tank (left-hand leGer)	P		2	E	
53	PROFLO (Ferguson brand)	None EL ADA (12-inch rough-in) (NOTE: 1.0g/3.8L single-flush fixture)	PF1603PA bowl, PF1612PA tank (left-hand leGer)	P		2	E	ADA
54	PROFLO (Ferguson brand)	None RF (12-inch rough-in - rear outlet) (NOTE: 1.0g/3.8L single-flush fixture)	PF1604PA bowl (rear outlet), PF1612PA tank (left-hand lever)	P		2	R	
55	PROFLO (Ferguson brand)	None EL (12-inch rough-in - rear outlet) (NOTE: 1.0g/3.8L single-flush fixture)	PF1605PA bowl (rear outlet), PF1612PA tank (left-hand lever)	P		2	E	
56	PROFLO (Ferguson brand)	None EL ADA (12-inch rough-in - rear outlet) (NOTE: 1.0g/3.8L single-flush fixture)	PF1606PA bowl (rear outlet), PF1612PA tank (left-hand lever)	P		2	E	ADA
57	PROFLO (Ferguson brand)	None RF ADA	9800 bowl; 9810/9812 tank (10 & 12" rough-in) .8 gpf	G		2	R	
58	PROFLO (Ferguson brand)	None EL ADA	9803 bowl; 9810/tank (10 & 12" rough-in) .8 gpf	G		2	E	
59	SSI Sustainable Solutions	None RF ADA	301381 bowl, 301380 tank	G		2	R	ADA
60	Seasons Gold (HD Supply)	Keating HET EL (NOTE: 1.0g/3.8L single-flush fixture)	189881 bowl, 189880 tank (same as Foremost LL-775E bowl, T-006 unlined tank)	G		2	E	
61	Seasons Gold (HD Supply)	Keating HET RF (NOTE: 1.0g/3.8L single-flush fixture)	749458 bowl, 189880 tank, (same as Foremost LL-775R bowl, T-006 unlined tank)	G		2	R	
62	Seasons (HD Supply)	Hawthorne EL ADA	564-856 bowl, 564-854 tank	P		2	E	ADA
63	Seasons (HD Supply)	Hawthorne EL ADA (Flushes with 1.0-gal / 3.8 Litres of water)	564-814 bowl, 564-854 tank	P		2	E	ADA
64	Seasons Gold (HD Spply)	None HET EL ADA	710695 bowl, 189880 tank (by Foremost)	G		2	E	ADA
65	Toto	Drake II 1G RF ADA (12" rough-in)	CST453CUF(G); C453CUF(G) bowl; ST453U tank	G		2	R	ADA
66	Toto	Drake II 1G EL (12" rough-in)	CST454CUFG; C454CUFG bowl; ST453U tank	G		2	E	
67	Toto	Ultramax II EL ADA (1-piece - 12-inch rough-in) (Flushes at 1.0 gallons of water)	CST604CUF(G)	G		1	E	ADA

Row #	Brand Name	Model Name	Model Number	Gravity Fed (G) Pressure Assist (P)	Dual Flush	1 or 2 piece	Round Bowl (R) Elongated (E)	ADA Height Bowl
68	Toto	Ultramax II EL ADA (1-piece - 12-inch rough-in)	MS604114CUF(G)	G		1	E	ADA
69	Toto	Vespin II 1G EL ADA	CST474CUF: CT474CUFG bowl; ST453U tank	G		2	E	ADA
70	Toto	Promenade II EL ADA (1-piece)	MS814224CUF(G): CST814CUF(G) bowl, CT814CUF(G) tank	G		1	E	ADA
71	Toto	Promenade II EL ADA	CST404CUF(G): C404CUF(G) bowl, ST403U tank	G		2	E	ADA
72	Toto	Carlyle II 1G EL ADA	CST614CUFG OR MS614114CUFG	G		1	E	ADA
73	Toto	Connelly EL ADA (12" rough-in)	CST494CEMF(G): CT494CEF(G) bowl; ST494M tank	G	Yes	2	E	ADA
74	Toto	Dual Max - EL ADA (wall-mount)	CWT437MF(G)-4: CT437F(G) bow, WT154M in-wall tank	G	Yes	1	E	ADA
75	Toto	Dual Max - EL ADA (wall-mount)	CWT437MF(G)-3: CT437F(G) bow, WT153M in-wall tank	G	Yes	1	E	ADA
76	Toto	G400 EL (12" rough-in)	MS920CEMF(G): CT920CEMF(G) bowl, SN920M top	G	Yes	1	E	
77	Toto	Neorest 500H EL (12" rough-in)	MS952CUM(G): CT952CUM(G) bowl, SN952M top	G	Yes	1	E	
78	Toto	Neorest 750H (12" rough-in)	MS993CUMFX; CT993CUMFX bowl, SN993MX tank	G	Yes	2	E	
79	Toto	Neorest 700H (12" rough-in)	MS992CUMF; CT992CUMFG bowl, SN992M tank	G	Yes	2	E	
80	Toto	Neorest 550H EL (12" rough-in)	MS982CUMG: CT982CUMG bowl; SN982M tank	G	Yes	2	E	
81	Western Pottery	None One EL	B432PF-1: 432 PF bowl, ULF-T4 tank (1.0 gpf)	P		2	E	
82	Western Pottery	None RF (12-inch rough-in)	W8270: B722 bowl, T7ULF tank (1.0 gal)(by Zhangzhou)	G		2	R	

ADA: Meets bowl-height requirements of Americans with Disabilities Act; gpf: Gallons per Flush

1. The Saving Water Partnership created this list from the "MaP Premium" list available at <http://www.map-testing.com/map-search.html>. This list is a condensed version that only includes models known to be available locally. This list is not an endorsement of any one manufacturer.

Note to Manufacturers: If you believe your Premium WaterSense toilets are available locally in the Saving Water Partnership service area but are not on this list, please call (206) 615-1282 to be added.

The following information is from the **MaP Premium website (www.map-testing.com)** "Compiling this listing is a service of Gauley Associates, Ltd. and Koeller and Company. All of the fixtures on this list are reported as certified by an accredited certification body (CB) to meet the requirements of the U.S. EPA WaterSense® specification for High Efficiency Toilets. Information for this listing has been obtained from the WaterSense® website, CB websites, and from test reports provided by recognized laboratories participating in the WaterSense® program and believed to be entirely reliable. This listing is NOT the official list of the U.S. EPA's WaterSense® Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense>. The information presented in this table has been gathered from sources deemed to be reliable (including the WaterSense® Program). However, neither the authors nor the organizations posting this listing on their websites make any guarantee as to its correctness, accuracy, completeness, or current status. Readers are encouraged to perform their own research at the WaterSense® website (noted above), manufacturer websites, and other sources."